



PRODUCT LIST

2022

NAME	DESCRIPTION / FUNCTION	CHEMICAL NATURE / GENERIC NAME	PACKAGING
WATER-BASED MUDS			
STABILITE® II	Asphalt based shale inhibitor	Sulfonated oxidized asphalt blend	22,7 kg bags
OPTITROL®	Low viscosity fluid loss control/shale inhibitor (temperature stable 200C)	Proprietary resin polymer complex	20 kg bags (dry)/ 200 l drums (liquid)
BLACKTROL®	Bridging agent, shale inhibitor, HTHP fluid loss control, wellbore stabilizer	Liquid asphalt polyglycol dispersion with surfactants	200 l drums
KLSP®	Cost effective fluid loss control agent (temperature stable up to 220C) for cold climates	Proprietary water soluble polymer resin based cellulose derivative	20 kg bags
HITEMP®200	High-temperature salt and hardness resistant fluid loss control	Sulfonated polyacrylate copolymer complex	25 kg bags
SHALE-X® Liquid	Unique shale hydration suppressant	Methylsiloxane	200 l drums
SHALE-X® DP	Dry silicate blend shale stabilizer	Silicates	22,7 kg bags
DRILAMINE®	Cost-effective polyamine based shale inhibitor	Polyamines	200 l drums
POLYTROL®	4 th generation liquid amine shale inhibitor	Polyetheramines	200 l drums
KLA-FREE®	Liquid polyamine shale inhibitor / KCl substitute	Polyamines	200 l drums
POLYCAP®	Encapsulating agent / shale inhibitor	PHPA (partially hydrolyzed polyacrylamide)	22,7 kg bags
TERRAPAN®	Acrylic fluid loss control agent (salinity and temperature stable)	Sodium Polyacrylate	22,7 kg bags
TERRAPAN®Liquid	Acrylic fluid loss control agent, liquid form	Sodium Polyacrylate	25 kg cans
GX-POLYMER®	High-temperature stable viscosifier and fluid loss control including WBM, heavy brines and acids	Sulfonated acrylamide copolymer	22,7 kg bags

G-DRILL®	High cloud point polyglycol shale inhibitor	Polyglycols	200 l drums
SUPERSLIDER®	Friction modifiers / WBM Lubricants / lubricants boosters	Fatty acids derivatives and esters	200 l drums
TANATIN®	Tannin based chrome-free thinner	Tannins	22,7 kg bags
TANATIN® Liquid	Synthetic liquid mud thinner	Acrylates	25 kg pails
MAX-FLEX®	Nano-particles filming agent, wellbore stabilizer and shale inhibitor	Modified synthetic styrene-butadiene latex	200 l drums
EXTRAMUL® DIRECT	Direct emulsions emulsifier (oil-in-water)	Fatty acids derivatives and esters	200 l drums
DRILLFAST®	ROP enhancer	Surfactants blend	200 l drums
OIL-BASED MUDS			
EXTRAMUL® 2000	OBM primary emulsifier	Polyaminated Fatty Acid	200 l drums
WELLTREAT®	Secondary OBM Emulsifier/Wetting agent	Fatty acids derivatives	200 l drums
EXTRAMUL® SUPREME	2-in-1 OBM emulsifiers cocktail	Fatty acids and esters	200 l drums
CLOTONEX®	OBM fluid loss control additive (organophilic lignite)	Amine treated lignite	22,7 kg bags
STABILITE® OBM	OBM fluid loss control additive (grinded bitumen)	Grinded asphalt	22,7 kg bags
WELLBOND®	Lost circulation agent	Two-component resin blend	200 l drums
ADVANTA® Dry	Cost-effective white powder fluid loss control for OBM	Polymer	11,35 kg bag
ADVANTA® Liquid	Liquid polymeric fluid loss control agent for OBM	Polymer	200 l drums
LIQUITROL®	Liquid polymeric OBM fluid loss control additive	Proprietary liquid polymeric blend	200 l drums
REOMOD® Dry	Dry powder or flakes OBM viscosifier / rheology modifier	Fatty acids polymer blend	18 kg bags
REOMOD® Liquid	Rheology modifier liquid	Fatty acids derivatives	200 l drums

SUPERSLIDER® OBM	OBM friction modifier/lubricant	Fatty acids derivatives	200 l drums
TERMAVIS®OBM	OBM viscosifier / fluid loss control	Organoclay	25 kg bags
SPACER®55	After OBM cleaning agent / filter cake removal before cementing	Surfactants blend	200 l drums
KLSP®OBM	Dry emulsifier for cold climates	Fatty acid derivatives	20 kg bags